


Achse : 3,684

| | | | | | |
|----|---|-------|-----|---|--------|
| i1 | = | 3,300 | ig1 | = | 12,157 |
| i2 | = | 1,944 | ig2 | = | 7,162 |
| i3 | = | 1,308 | ig3 | = | 4,819 |
| i4 | = | 1,029 | ig4 | = | 3,791 |
| i5 | = | 0,837 | ig5 | = | 3,084 |
| i6 | = | n.a. | ig6 | = | n.a. |

Abrollumfang : 1,920 m
m/min => km/h 0,06

| nMotor | Gang | | | | | |
|--------|------|-----|-----|-----|-----|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 16 | 24 | 30 | 37 | |
| 2000 | 19 | 32 | 48 | 61 | 75 | |
| 3000 | 28 | 48 | 72 | 91 | 112 | |
| 4000 | 38 | 64 | 96 | 122 | 149 | |
| 5000 | 47 | 80 | 120 | 152 | 187 | |
| 6000 | 57 | 97 | 143 | 182 | 224 | |
| 6500 | 62 | 105 | 155 | 198 | 243 | |




Achse : 3,684

| | | | | | |
|----|---|-------|-----|---|--------|
| i1 | = | 3,300 | ig1 | = | 12,157 |
| i2 | = | 1,944 | ig2 | = | 7,162 |
| i3 | = | 1,308 | ig3 | = | 4,819 |
| i4 | = | 1,029 | ig4 | = | 3,791 |
| i5 | = | 0,837 | ig5 | = | 3,084 |
| i6 | = | n.a. | ig6 | = | n.a. |

Abrollumfang : 1,760 m
m/min => km/h 0,06

| nMotor | Gang | | | | | |
|--------|------|----|-----|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 15 | 22 | 28 | 34 | 34 |
| 2000 | 17 | 29 | 44 | 56 | 68 | 68 |
| 3000 | 26 | 44 | 66 | 84 | 103 | 103 |
| 4000 | 35 | 59 | 88 | 111 | 137 | 137 |
| 5000 | 43 | 74 | 110 | 139 | 171 | 171 |
| 6000 | 52 | 88 | 131 | 167 | 205 | 205 |
| 6500 | 56 | 96 | 142 | 181 | 223 | 223 |




Achse : 3,389

| | | | | | |
|----|---|-------|-----|---|--------|
| i1 | = | 3,778 | ig1 | = | 12,804 |
| i2 | = | 2,118 | ig2 | = | 7,178 |
| i3 | = | 1,360 | ig3 | = | 4,609 |
| i4 | = | 0,971 | ig4 | = | 3,291 |
| i5 | = | 0,756 | ig5 | = | 2,562 |
| i6 | = | n.a. | ig6 | = | n.a. |

Abrollumfang : 1,920 m
m/min => km/h 0,06

| nMotor | 1 | 2 | 3 | 4 | 5 | 6 |
|--------|----|-----|-----|-----|-----|-----|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 16 | 25 | 35 | 45 | 65 |
| 2000 | 18 | 32 | 50 | 70 | 90 | 130 |
| 3000 | 27 | 48 | 75 | 105 | 135 | 200 |
| 4000 | 36 | 64 | 100 | 140 | 180 | 270 |
| 5000 | 45 | 80 | 125 | 175 | 225 | 360 |
| 6000 | 54 | 96 | 150 | 210 | 270 | 480 |
| 6500 | 58 | 104 | 162 | 228 | 292 | 520 |




Achse : 3,389

| | | | | | |
|----|---|-------|-----|---|--------|
| i1 | = | 3,778 | ig1 | = | 12,804 |
| i2 | = | 2,118 | ig2 | = | 7,178 |
| i3 | = | 1,360 | ig3 | = | 4,609 |
| i4 | = | 0,971 | ig4 | = | 3,291 |
| i5 | = | 0,756 | ig5 | = | 2,562 |
| i6 | = | n.a. | ig6 | = | n.a. |

Abrollumfang : 1,760 m
m/min => km/h 0,06

| nMotor | Gang | | | | | |
|--------|------|----|-----|-----|-----|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 8 | 15 | 23 | 32 | 41 | |
| 2000 | 16 | 29 | 46 | 64 | 82 | |
| 3000 | 25 | 44 | 69 | 96 | 124 | |
| 4000 | 33 | 59 | 92 | 128 | 165 | |
| 5000 | 41 | 74 | 115 | 160 | 206 | |
| 6000 | 49 | 88 | 137 | 193 | 247 | |
| 6500 | 54 | 96 | 149 | 209 | 268 | |




Achse : 3,684

| | |
|------------|--------------|
| i1 = 3,300 | ig1 = 12,157 |
| i2 = 1,944 | ig2 = 7,162 |
| i3 = 1,308 | ig3 = 4,819 |
| i4 = 1,029 | ig4 = 3,791 |
| i5 = 0,837 | ig5 = 3,084 |

| | |
|----------------|-----------------|
| i4 dqy = 0,971 | ig4 dqy = 3,577 |
| i5 dqy = 0,756 | ig5 dqy = 2,785 |

Abrollumfang : 1,760 m
 m/min => km/h 0,06

| nMotor | Gang | | | | | 4 DQY | 5 DQY |
|--------|------|----|-----|-----|-----|-------|-------|
| | 1 | 2 | 3 | 4 | 5 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 15 | 22 | 28 | 34 | 30 | 38 |
| 2000 | 17 | 29 | 44 | 56 | 68 | 59 | 76 |
| 3000 | 26 | 44 | 66 | 84 | 103 | 89 | 114 |
| 4000 | 35 | 59 | 88 | 111 | 137 | 118 | 152 |
| 5000 | 43 | 74 | 110 | 139 | 171 | 148 | 190 |
| 6000 | 52 | 88 | 131 | 167 | 205 | 177 | 227 |
| 6500 | 56 | 96 | 142 | 181 | 223 | 192 | 246 |




Achse : 3,389

| | |
|------------|--------------|
| i1 = 3,300 | ig1 = 11,184 |
| i2 = 1,944 | ig2 = 6,588 |
| i3 = 1,308 | ig3 = 4,433 |
| i4 = 1,029 | ig4 = 3,487 |
| i5 = 0,837 | ig5 = 2,837 |

| | |
|----------------|-----------------|
| i4 dqy = 0,971 | ig4 dqy = 3,291 |
| i5 dqy = 0,756 | ig5 dqy = 2,562 |

Abrollumfang : 1,760 m
 m/min => km/h 0,06

| nMotor | Gang | | | | | 4 DQY | 5 DQY |
|--------|------|-----|-----|-----|-----|-------|-------|
| | 1 | 2 | 3 | 4 | 5 | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 16 | 24 | 30 | 37 | 32 | 41 |
| 2000 | 19 | 32 | 48 | 61 | 74 | 64 | 82 |
| 3000 | 28 | 48 | 71 | 91 | 112 | 96 | 124 |
| 4000 | 38 | 64 | 95 | 121 | 149 | 128 | 165 |
| 5000 | 47 | 80 | 119 | 151 | 186 | 160 | 206 |
| 6000 | 57 | 96 | 143 | 182 | 223 | 193 | 247 |
| 6500 | 61 | 104 | 155 | 197 | 242 | 209 | 268 |




Achse : 3Wellen

| | | |
|------|-------|--------|
| i1 = | ig1 = | 12,363 |
| i2 = | ig2 = | 6,816 |
| i3 = | ig3 = | 4,355 |
| i4 = | ig4 = | 3,147 |
| i5 = | ig5 = | 2,537 |
| i6 = | ig6 = | 2,108 |

Abrollumfang : 1,760 m
 m/min => km/h 0,06

| nMotor | Gang | | | | | |
|--------|------|-----|-----|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 | 9 | 15 | 24 | 34 | 42 | 50 |
| 2000 | 17 | 31 | 48 | 67 | 83 | 100 |
| 3000 | 26 | 46 | 73 | 101 | 125 | 150 |
| 4000 | 34 | 62 | 97 | 134 | 167 | 200 |
| 5000 | 43 | 77 | 121 | 168 | 208 | 251 |
| 6000 | 51 | 93 | 145 | 201 | 250 | 301 |
| 6500 | 56 | 101 | 158 | 218 | 271 | 326 |



- 1. Gan g
- 2. Gan g